TROJAN PROFESSIONAL COMMERCIAL HYBRID PLANKS

CARE & MAINTENANCE GUIDE



MAINTENANCE




Sweeping or vacuuming regularly removes dust and dirt from the floor. Simply wash with micro fibre or Vileda mop system and a ph. neutral detergent cleaner.



A polish or sealer is not required and could in fact make the floor slippery. Remember, regular and light cleaning is the best way to keep your flooring looking great.




Scuff marks on your planks surface are usually caused by dragging heavy items of furniture or sliding shoes across the floor. Generally these can be just wiped away.



If you are having any difficulties in getting some scuff marks off, add eucalyptus oil to a damp cloth and wipe scuff marks to remove any residue. Once the scuff mark is removed re-wipe the area with a new damp clean cloth to remove any excess eucalyptus oil residue.

CARE

It is important that a few simple precautions are taken to prevent any unnecessary wear and damage to your new floor.



- Use an outdoor mat to remove any grit or dirt from shoes before entering the home. Ensure any indoor mats are not rubber or latex backed, as these may cause discolouration on your flooring.
- Do not allow floor to become flooded. Water ingress into subfloor can result in mildew or subfloor structural damage.
- Avoid spray from aerosols, rubber, asphalt, paints, shoe polishes, cigarettes, matches and very sharp grit.
- Remove spills as fast as possible. The longer the spilled materials are left on the floor, the greater the risk of a permanent stain.
- Check your vacuum cleaner head is suitable to use on Hybrid flooring. (softhead recommend)
- Be aware that castor chairs may damage the surface of your new floor. Consider placing a suitable protector mat under castor chairs.
- Ensure furniture with sharp or small feet are fitted with suitable end caps or glides to distribute the weight evenly. Similarly, a protective material such as felt can be fitted to prevent markings from constantly moving furniture. Non-staining protective matts should be used under heavy furniture that is regularly moved or could dent/scratch flooring.
- Care should be taken when moving heavy furniture or appliances, use protective panels when rolling heavy appliances into place. Do not drag heavy items across floor.
- Do not use caustic or ammonia based cleaners and wax polish.

CARE CONTINUED...

- Fading of Hybrid can be caused by ultraviolet light and heat from the sun, extreme exposure to sunlight through glass doors and windows must be avoided. Draw your drapes or shades during periods of peak sun exposure.
- Remember that any Hybrid flooring can be damaged or scarred by cigarette burns, matches or other very hot items. Particular care should be taken with the use of heating appliances.
- Trojan hybrid flooring is not suitable over underfloor heating.
- Do not use steam or heat mops.
- Spiked or hard heeled shoes should be removed.
- Do not stick adhesives to surface, removal could cause damage, or discolouration.

NOTE: Pictures are for illustrative purposes only.





www.next13.com.au
(07) 3861 4422
sales@next13.com.au
1/67 Araluen Street, Kedron, Brisbane, QLD 4031, Australia